

14. Fort Ph, Marty L, Piechaczyk M, El Saboutry S, Dani C, Jeanteur Ph, Blanchard JM: Various rat adult tissues express only one major mRNA species from the glutaraldehyde-3-phosphate dehydrogenase multigenic family. *Nucleic Acid Res* 13:1431-1442, 1985
15. Verrier B, Müller D, Bravo R, Müller R: Wounding a fibroblast monolayer results in the rapid induction of the c-fos proto-oncogene. *EMBO J* 5:913-917, 1986
16. Chomzynski P, Sacchi N: Single step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal Biochem* 162:156-159, 1987
17. Bantle JA, Maxwell IM, Hahn WE: Specificity of oligo(dT) cellulose chromatography in the isolation of poly(A⁺)RNA. *Anal Biochem* 72:413-427, 1976
18. Thomas PS: Hybridization of denatured RNA and small DNA fragments transferred to nitrocellulose. *Proc Natl Acad Sci USA* 77:5201-5205, 1980
19. Mariani-Costantini R, Escot C, Theillet C, Gentile A, Merlo G, Lederer R, Callahan R: Correlation of the c-myc expression with gene amplification in human primary breast carcinomas using RNA/RNA in situ hybridization. *Cancer Res* 48:199-205, 1988
20. Theillet C, Leroy X, De Lapeyrière O, Grosgeorges J, Adnane J, Raynaud S, Simoni-Lafontaine J, Goldfarb M, Escot C, Birbaum D, Gaudray P: The amplification of FGF related genes in human tumors: possible involvement of hst in breast carcinomas. *Oncogene* 4:915-922, 1989
21. Dignam JD, Lebovitz RM, Roeder RG: Accurate transcription initiation by RNA polymerase II in a soluble extract from isolated mammalian nuclei. *Nucleic Acid Res* 11:1475-1489, 1983
22. Towbin H, Stehelin T, Gordon J: Electrophoretic transfer of proteins from acrylamide gels to nitrocellulose sheets: Procedure and some applications. *Proc Natl Acad Sci USA* 76:4350-4354, 1979
23. Basset-Séguin N, Dersookian M, Cehrs K, Yancey KB: C3dg is present in normal human epidermal basement membrane. *J Immunol* 141:1273-1280, 1988
24. Barber JR, Verma IM: Modification of fos proteins: Phosphorylation of c-fos, but not v-fos, is stimulated by 12 tetradecanoyl-phorbol-13-acetate and serum. *Mol Cell Biol* 7:2201-2211, 1987
25. Sassone-Corsi P, Verma IM: Modulation of c-fos gene transcription by negative and positive cellular factors. *Nature* 326:507-510, 1987
26. Dotto GP, Gilman MZ, Maruyama M, Weinberg RA: c-myc and c-fos expression in differentiating mouse primary keratinocytes. *EMBO J* 5:2853-2857, 1986
27. Müller R, Bravo R, Burckhardt J: Induction of c-fos gene and protein by growth factors precedes activation of c-myc. *Nature* 312:716-720, 1984
28. Holt JT, Gopal TV, Moulton AD, Nenhuis AW: Inducible production of c-fos anti-sense RNA inhibits 3T3 cell proliferation. *Proc Natl Acad Sci USA* 83:4794-4798, 1986
29. Peacocke M, Yaar M, Gordon L, Shaffer M, Gilchrist BA: Human melanocytes express high levels of c-fos messenger RNA when stimulated to differentiate (abstr). *J Invest Dermatol* 90:596, 1988
30. Müller R, Curran T, Müller D, Guibert L: Induction of c-fos during myelomonocytic differentiation and macrophage proliferation. *Nature* 314:546-548, 1985
31. Verma IM, Mitchell RL, Kruijer W, Van Beveren C, Zokas L, Hunter T, Cooper JA: In: Feramisco J, Ozanne B, Stiles C (eds.). *Cancer Cells, Growth Factors and Transformation*. Vol. 3. Cold Spring Harbor, 1985, pp 275-287
32. De Togni P, Niman H, Raymond V, Sawchenko P, Verma IM: Detection of fos protein during osteogenesis by monoclonal antibodies. *Mol Cell Biol* 8:2251-2256, 1988

ANNOUNCEMENT

The International Symposium "New Trends in Allergy III" is to be held at the Gasteig Cultural Center, Munich, July 13-15, 1990. Organisation: Prof. Dr. Johannes Ring, Dermatologische Klinik u. Poliklinik, der Ludwig-Maximilians-Universität München, Frauenlobstraße 9-11, D-8000 München 2, West Germany.